



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 08/29/2023 08:31 Received: 08/29/2023 08:31

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Thrombophilia Profile					
Thrombophilia Profile	See Below				WMMR

Thrombophilia Profile
SEE REPORT UNDER SEPARATE COVER.
REPORT WILL BE SENT TO THE ORDERING LABORATORY VIA
PRINTER OR FAX. ADDITIONAL COPIES OF THE ORIGINAL
REPORT MAY ALSO BE OBTAINED BY CALLING WARDE LAB
CLIENT SERVICES at 800-760-9969

Reported Date: 08/29/2023 08:32 AATHR

Performing Site:

WMMR: MAYO CLINICAL LABS 3050 Superior Drive NW Rochester MN 55901

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F229000001
WX0000003826

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002353

Printed D&T: 11/20/23 15:52

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 1 OF 1