



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003827 M 07/08/1978 45 Y

## Referral Testing

Collected: 08/25/2023 15:22 Received: 08/25/2023 15:22

Test Name	Result	Flag	Ref-Ranges	Units	Site
<b>Blood Culture, Acid-Free Bacillus (AFB)</b>					
Blood Culture, Acid-Fast Bacillus (AFB)	SEE NOTE				ARRL

Culture POSITIVE for  
Mycobacterium avium-intracellulare complex  
For susceptibility results  
refer to accession number 123456789  
collected on MM/DD/YYYY 00:00  
Identification by MALDI-TOF  
This test was developed and its performance characteristics  
determined by ARUP Laboratories. It has not been cleared or  
approved by the U.S. Food and Drug Administration.  
This test was performed in a CLIA-certified laboratory and  
is intended for clinical purposes.  
Final report pending confirmation of morphology on solid  
medium  
Performed by ARUP Laboratories,  
500 Chipeta Way, SLC, UT 84108 800-522-2787  
www.aruplab.com, Jonathan R. Genzen, MD, PHD - Lab. Director

## Blood Culture, Acid-Fast Bacillus (AFB)

Blood Culture, Acid-Fast Bacillus (AFB)	SEE NOTE				ARRL
---	----------	--	--	--	------

Culture POSITIVE for  
Mycobacterium avium-intracellulare complex  
For susceptibility results  
refer to accession number 123456789  
collected on MM/DD/YYYY 00:00  
Identification by MALDI-TOF  
This test was developed and its performance characteristics  
determined by ARUP Laboratories. It has not been cleared or  
approved by the U.S. Food and Drug Administration.  
This test was performed in a CLIA-certified laboratory and  
is intended for clinical purposes.  
Final report pending confirmation of morphology on solid  
medium  
Performed by ARUP Laboratories,  
500 Chipeta Way, SLC, UT 84108 800-522-2787  
www.aruplab.com, Jonathan R. Genzen, MD, PHD - Lab. Director

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003827 M 07/08/1978 45 Y

## Referral Testing

Collected: 08/25/2023 15:22 Received: 08/25/2023 15:22

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
------------------	---------------	-------------	-------------------	--------------	-------------

Performing Site:

ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

**Reported Date:** 2023.08.25 15:22 BCAF

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F225000031  
WX0000003827

Ordered By: KAJAL SITWALA, MD, PhD  
WX00000000002365

Printed D&T: 08/25/23 15:24

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 2 OF 2