



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/30/2023 14:40 Received: 08/30/2023 14:40

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Contains test results for Chlamydia pneumoniae IgG, IgA, and IgM Abs, with an interpretation of PAST INFECTION.

REFERENCE RANGE:

IgG <1:64
IgA <1:16
IgM <1:10

The immunofluorescent detection of specific antibodies to Chlamydia pneumoniae may be complicated by crossreactive antibodies, non-specific antibody stimulation, or past exposure to similar organisms such as C. psittaci and Chlamydia trachomatis.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA.

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042 I Maramica MD, PhD

Performing Site:
QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

Reported Date: 2023.08.30 14:40 CHPAB

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED