



## LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

### EXAMPLE, REPORT

WX0000072099 M 12/05/1988

Collected: 01/23/2020 13:39

Received: 01/23/2020 13:39

### Clin Urine Drug Abuse Scrn 10C w/Confirm

Test Name	Result	Unit	Site
Amphetamine	Negative		WMRL
Barbiturates	Negative		WMRL
Benzodiazepine	Negative		WMRL
Cocaine	Negative		WMRL
Ethanol	Negative		WMRL
Methadone	Negative		WMRL
Opiate	Negative		WMRL
PCP	Negative		WMRL
Propoxyphene	Negative		WMRL
THC	Negative		WMRL
Creatinine	40	mg/dL	WMRL
Adulterant	Negative		WMRL
See Below	See Below		WMRL

Decision Limits				
	Screen	Cutoff	Conc.	Confirm
Amphetamine		500	ng/mL	(GC/MS) 100 ng/mL
Barbiturates		200	ng/mL	(GC/MS) * ng/mL
Benzodiazepines		100	ng/mL	(LC/MS/MS) * ng/mL
Cocaine		150	ng/mL	(GC/MS) 30 ng/mL
Ethanol		20	mg/dL	(GC/FID) 20 mg/dL
Methadone		150	ng/mL	(GC/MS) 100 ng/mL
Opiates		300	ng/mL	(LC/MS/MS) 25 ng/mL
Phencyclidine		25	ng/mL	(GC/MS) 5 ng/mL
Propoxyphene		300	ng/mL	(GC/MS) 60 ng/mL
THC (Cannabis)		25	ng/mL	(GC/MS) 3 ng/mL

\* Decision limit depends on drug detected.

Adulterant Decision Limit:  
General Oxidants 200 ug/mL

The adulterant assay tests for General Oxidants, including Chromates and Nitrites. Adulterants are substances either ingested or added directly to a urine specimen to prevent the detection of drug use.

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

6123000755  
WX0000072099

Ordered By: CLIENT CLIENT,  
WX00000000404674

WMB-20-50884

PAGE 1 OF 2

William G. Finn, M.D. - Medical Director



## LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

### EXAMPLE, REPORT

WX0000072099 M 12/05/1988

<u>Test Name</u>	<u>Result</u>	<u>Unit</u>	<u>Site</u>
------------------	---------------	-------------	-------------

If applicable, any drug confirmatory testing by LCMSMS/GCMS and the benzodiazepine screening were developed at Warde Medical Laboratory. While the performance characteristics have been fully evaluated and validated using appropriate protocols, this benzodiazepine screening test and all confirmatory tests have not been cleared or approved by the FDA. Warde Laboratory is regulated under CLIA as qualified to perform high complexity testing. These tests is for patient testing and should not be interpreted for investigation or research purposes.

Performing Site:

WMRL: Warde Medical Laboratory 300 West Textile Road Ann Arbor MI 48108 (800)876-6522

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

6123000755  
WX0000072099

Ordered By: CLIENT CLIENT,  
WX00000000404674

WMB-20-50884  
PAGE 2 OF 2

William G. Finn, M.D. - Medical Director