



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/25/2023 11:50 Received: 09/25/2023 11:50

Test Name	Result	Flag	Ref-Ranges	Units	Site
Desmoglein 1 and Desmoglein 3					
Desmoglein 1	>200	H	<20	RU/mL	MMRL

The Dsg1 and Dsg3 ELISA tests are intended for in vitro use as an aid in the diagnosis of pemphigus and related entities. Positive test results could be compatible with a diagnosis of pemphigus. However, final clinical diagnosis should be based on integration of clinical features and results of other supportive tests, such as histopathology on standard microscopy, perilesional biopsy for direct immunofluorescence (test code CIB), and indirect immunofluorescence on human salt-split skin and monkey esophagus substrates (test code CIFS).

Desmoglein 3	<2		<20	RU/mL	MMRL
--------------	----	--	-----	-------	------

-----ADDITIONAL INFORMATION-----

Dsg1 and Dsg3 are intended for in vitro diagnostic use as an aid in the diagnosis of pemphigus and related entities, and should be interpreted in conjunction with other laboratory and clinical findings.

This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Test Performed by:
Mayo Clinic Laboratories - Rochester Main Campus
200 First Street SW, Rochester, MN 55905
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D0404292

Performing Site:

MMRL: MAYO MEDICAL REFERENCE LAB 3050 Superior Drive NW Rochester MN 55901

Reported Date: 2023.09.25 11:50 DESMO

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F325000044
WX0000003827
Printed D&T: 09/25/23 11:54

Ordered By: KAJAL SITWALA, MD, PhD
WX000000000002365

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1