



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Chemistry

Collected: 09/25/2023 14:31 Received: 09/25/2023 14:31

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Digoxin, 0.8, , 0.8-2.0, mcg/L, QDRL

FAB Anti-Digoxin (Digibind(R)) in serum/plasma of patients under toxicity therapy may interfere with the digoxin assay.

TEST PERFORMED AT:
QUEST DIAGNOSTICS/NICHOLS CHANTILLY
14225 NEWBROOK DRIVE CHANTILLY, VA 20151-2228
PATRICK W. MASON, MD, PHD

Performing Site:
QDRL: QUEST DIAGNOSTICS REFERENCE LAB VALENCIA 27027 Tourney Road Valencia CA 91355

Reported Date: 2023.09.25 14:31

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F325000058 Ordered By: KAJAL SITWALA, MD, PhD
WX0000003827 WX00000000002365
Printed D&T: 09/25/23 14:31

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1