



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 09/27/2023 13:46 Received: 09/27/2023 13:46

Test Name	Result	Flag	Ref-Ranges	Units	Site
Electrolytes, Fecal					
Chloride, Stool	100			mmol/L	ARRL

INTERPRETIVE INFORMATION: Fecal Chloride

A reference interval has not been established for fecal specimens.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Performed By: ARUP Laboratories
500 Chipeta Way
Salt Lake City, UT 84108
Laboratory Director: Jonathan R. Genzen, MD, PhD
CLIA Number: 46D0523979

Potassium, Stool	49			mmol/L	ARRL
------------------	----	--	--	--------	------

INTERPRETIVE INFORMATION: Fecal Potassium

A reference interval has not been established for fecal specimens.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Sodium, Stool	87			mmol/L	ARRL
---------------	----	--	--	--------	------

INTERPRETIVE INFORMATION: Fecal Sodium

A reference interval has not been established for fecal specimens.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F327000033
WX0000003826
Printed D&T: 09/27/23 14:27

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002353

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 2



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Performing Site:
ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

Reported Date: 2023.09.27 13:46 FLYTA

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F327000033
WX0000003826

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002353

Printed D&T: 09/27/23 14:27

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 2 OF 2