



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/29/2023 14:48 Received: 09/29/2023 14:48

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Fluoroquinolone-Resistant Organism, Culture. Row 2: Preliminary results See Final WMAR. Row 3: Final results See Below WMAR.

Test
Fluoroquinolone-Resistant Organism, Culture

Source: Rectal
Body Site: Rectal
Free Text Source: Rectal

Final Report
Culture POSITIVE for fluoroquinolone-resistant organisms
Escherichia coli

Susceptibility Results

Organism: Escherichia coli

Table listing antibiotic susceptibility results for Escherichia coli, including Ampicillin, Cefazolin, Ciprofloxacin, etc., with MIC values and interpretations like SUSCEPTIBLE or RESISTANT.

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED



LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

EXAMPLE, REPORT W  
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/29/2023 14:48 Received: 09/29/2023 14:48

Test Name Result Flag Ref-Ranges Units Site

Interpretive Results  
This test is not intended for screening donor material.

Performed by ARUP Laboratories  
500 Chipeta Way, Salt Lake City, UT 84108  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Performing Site:  
WMAR: ARUP LABORATORIES 500 Chipeta Way Salt Lake City UT 841081221

Reported Date: 2023.09.29 14:48 FROC

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F329000038 Ordered By: KAJAL SITWALA, MD, PhD  
WX0000003827 WX00000000002365  
Printed D&T: 09/29/23 14:48

Kajal V. Sitwala, MD, PhD - Medical Director  
Form: MM RL1  
PAGE 2 OF 2