



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 09/28/2023 08:40 Received: 09/28/2023 08:40

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Granulocyte Antibodies, Serum, Negative, Not Applicable, MMRL

-----ADDITIONAL INFORMATION-----
Method: Immunofluorescent Assay
This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.
CLIA: 24D0404292 CLIA Lab Director: WILLIAM G MORICE, MD, PhD

Test Performed by:
Mayo Clinic Laboratories - Rochester Main Campus
200 First Street SW, Rochester, MN 55905
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D0404292

Performing Site:
MMRL: MAYO MEDICAL REFERENCE LAB 3050 Superior Drive NW Rochester MN 55901

Reported Date: 2023.09.28 8:40

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED