



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/28/2023 08:48 Received: 09/28/2023 08:48

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Gonadotropin-Releasing Hormone, 23.7, pg/mL, MMRL

-----REFERENCE VALUE-----
Adult Reference Range(s)
Male: 4.0 - 8.0
Female: 2.0 - 10.0

-----ADDITIONAL INFORMATION-----
This test was developed and its performance characteristics determined by Inter Science Institute. It has not been cleared or approved by the US Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary.

Test Performed by:
Inter Science Institute
944 West Hyde Park
Inglewood, CA 90302

Performing Site:
MMRL: MAYO MEDICAL REFERENCE LAB 3050 Superior Drive NW Rochester MN 55901

Reported Date: 2023.09.28 8:48

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F328000007 Ordered By: KAJAL SITWALA, MD, PhD
WX0000003827 WX000000000002365
Printed D&T: 09/28/23 08:48

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1