



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Molecular

Collected: 09/27/2023 08:51 Received: 09/27/2023 08:51

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Hepatitis C Virus Genotype, 3, AB, , , WMRL

The hepatitis C virus (HCV) genotype was determined using reverse transcription and PCR amplification of the 5' untranslated region and the core of the HCV genome followed by electrochemical detection (eSensor XT8). Specimens with HCV viral loads <625 IU/mL cannot be genotyped.

This test should not be used to establish a diagnosis of HCV infection.

The HCV genotype test uses commercial reagents that have not been approved or cleared by the FDA. The FDA has determined that such clearance or approval is not necessary. The performance characteristics of this procedure were determined by Warde Medical Laboratory.

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

Reported Date: 2023.09.27 8:51 HCVGO

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F327000007
WX0000003826

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002353

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1

Printed D&T: 09/27/23 08:51

PAGE 1 OF 1