



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 09/27/2023 10:46 Received: 09/27/2023 10:46

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Heparin Cofactor II	See Below				WMLC

Test	Result	Unit	Flag	Ref Range
Heparin Cofactor II**	97	%		

Reference Range: 6 months and older: 65-145 %

**Results of this test are for research purposes only per the assay manufacturer. The performance characteristics of this assay have not been established. The result should not be used as a diagnostic procedure without confirmation of the diagnosis by another medically established diagnostic product or procedure.

TEST PERFORMED AT
ESOTERIX INC.
8490 UPLAND DR. SUITE 100
ENGLEWOOD, CO 80112
MEDICAL DIRECTOR: Brian F. Poirier, MD

Performing Site:

WMLC: LAB CORP 1904 Alexander Drive Research Triangle Park NC 27709

Reported Date: 2023.09.27 10:46

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F327000015
WX0000003826

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002353

Printed D&T: 09/27/23 10:46

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 1 OF 1