



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003827 M 07/08/1978 45 Y

## Referral Testing

Collected: 09/26/2023 10:07 Received: 09/26/2023 10:07

Test Name	Result	Flag	Ref-Ranges	Units	Site
HTLV-I/II Antibodies, Western Blot	Negative		Negative		ARRL

HTLV-I/II Western Blot Pattern:  
(Key: 0 = neg, \* = weak pos, 1 = moderate pos, 2 = strong pos, 3 = very strong pos, X=non-specific staining obscuring possible bands in that region)

GD21 p19 p24 p26 p28 p32 p36 gp46 p53 rgp46-II rgp46-I  
0 0 0 0 0 0 0 0 0 0 0 0

Interpretation: NEGATIVE for HTLV specific antibodies.

Very early HTLV infection prior to seroconversion cannot be excluded.

INTERPRETIVE INFORMATION: HTLV I/II Ab, Western Blot  
This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Performed By: ARUP Laboratories  
500 Chipeta Way  
Salt Lake City, UT 84108  
Laboratory Director: Jonathan R. Genzen, MD, PhD

Performing Site:

ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

**Reported Date:** 2023.09.26 10:07

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F326000028  
WX0000003827

Ordered By: KAJAL SITWALA, MD, PhD  
WX00000000002365

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

Printed D&T: 09/26/23 10:08

PAGE 1 OF 1