



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 09/25/2023 07:57 Received: 09/25/2023 07:57

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Lactate Dehydrogenase Total, Body Fluid, 17, U/L, ARRL

INTERPRETIVE INFORMATION: Lactate Dehydrogenase Total, Body Fluid

For information on body fluid reference ranges and/or interpretive guidance visit http://aruplab.com/bodyfluids/

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
Performed By: ARUP Laboratories
500 Chipeta Way
Salt Lake City, UT 84108
Laboratory Director: Jonathan R. Genzen, MD, PhD
CLIA Number: 46D0523979

LDH Fluid Source CSF ARRL

Performing Site: ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

Reported Date: 2023.09.25 7:57 LDTBF

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED