



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/19/2023 13:53 Received: 09/19/2023 13:53

Test Name	Result	Flag	Ref-Ranges	Units	Site
MAG Autoantibody	See Below				WMQC

Test Name	Result	Flag	Ref Range
MAG Ab (IgM), Western Bl	POSITIVE	AB	NEGATIVE

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

MAG-SGPG AB (IgM), EIA 1:51200 H < or = 1:1600 titer

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

MAG Antibody (IgM), EIA 1:51200 H <1:1600 titer

Reference ranges for MAG IgM Antibody:

Normal: <1:1600
Moderately Elevated: 1:1600-1:3200
Highly Elevated: >1:6400

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Performed at Quest Diagnostics Nichols Institute
33608 Ortega Highway, San Juan Capistrano, CA 92675-2042
Laboratory Director: I Maramica MD, PhD, MBA

WMQC: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

Reported Date: 2023.09.19 13:54

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F319000026
WX0000003827
Printed D&T: 09/19/23 13:54

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002365

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1