



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/14/2023 10:35 Received: 09/14/2023 10:35

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Mumps Virus Antibody IgM, 3.40, H, <=0.79, IV, ARRL

INTERPRETIVE INFORMATION: Mumps Virus Antibody, IgM

- 0.79 IV or less: Negative - No significant level of detectable IgM antibody to mumps virus.
0.80 - 1.20 IV: Equivocal - Borderline levels of IgM antibody to mumps virus. Repeat testing in 10-14 days may be helpful.
1.21 IV or greater: Positive - Presence of IgM antibody to mumps virus detected, which may indicate a current or recent infection. However, low levels of IgM antibody may occasionally persist for more than 12 months post-infection or immunization.

Performed By: ARUP Laboratories
500 Chipeta Way
Salt Lake City, UT 84108
Laboratory Director: Jonathan R. Genzen, MD, PhD
CLIA Number: 46D0523979

Performing Site:
ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221
Reported Date: 2023.09.14 10:35

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED