



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 09/13/2023 10:46 Received: 09/13/2023 10:46

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Myocardial Ab with reflex to Titer					
Myocardial Antibody Screen, IFA	NEGATIVE		NEGATIVE		QCRL

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Myocardial Antibody Titer	.TNP				QCRL
---------------------------	------	--	--	--	------

Performing Site:

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

Reported Date: 2023.09.13 10:46 MYCAB

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F313000009
WX0000003826

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002353

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1

Printed D&T: 09/13/23 10:46

PAGE 1 OF 1