



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/12/2023 13:36 Received: 09/12/2023 13:36

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Naproxen (Naprosyn), Serum/Plasma, 60, mcg/mL, NMRL

Reporting Limit: 6.0 mcg/mL
Synonym(s): Naprosyn (R); Aleve (R)
Average peak and trough levels in individuals receiving 250 mg twice daily for 7 days are reported as 46 mcg/mL and 31 mcg/mL, respectively.
Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

Reported Date: 2023.09.12 13:36

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED