



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 09/12/2023 13:10 Received: 09/12/2023 13:10

Test Name	Result	Flag	Ref-Ranges	Units	Site
NMO/AQP4-IgG FACS, CSF	See Below				WMMR

Test	Result	Flag	Ref Range
NMO/AQP4-IgG FACS, CSF	Positive	H	Negative

Screen positive, see confirmatory test results.

NMO/AQP4-IgG FACS, Titer, CSF	Positive 1:512	H	<1:2 titer
----------------------------------	-------------------	---	------------

This autoantibody supports the diagnosis of neuromyelitis optica or a neuromyelitis optica spectrum disorder. Seropositivity predicts high risk for relapse of myelitis, optic neuritis or both.

Laboratory Notes

This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Test performed at
Mayo Clinic Laboratories - Rochester Main Campus
200 First St SW Rochester, MN 55905
Lab Director William G. Morice M.D. Ph.D.

Performing Site:

WMMR: MAYO CLINICAL LABS 3050 Superior Drive NW Rochester MN 55901

Reported Date: 2023.09.12 13:10

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F312000014
WX0000003826

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002353

Printed D&T: 09/12/23 13:10

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 1 OF 1