



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/12/2023 13:14 Received: 09/12/2023 13:14

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: NMO/AQP4-IgG FACS, Serum, See Below, WMMR

Table with 4 columns: Test, Result, Flag, Ref Range. Row 1: NMO/AQP4 FACS, S, Negative, Negative

Recommend repeat testing in 6 months if clinical suspicion is high. Negative result can occur in the setting of immunosuppression.

Laboratory Notes
This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration

Test performed at
Mayo Clinic Laboratories - Rochester Main Campus
200 First St SW Rochester, MN 55905
Lab Director William G Morice M.D, PhD.

Performing Site:
WMMR: MAYO CLINICAL LABS 3050 Superior Drive NW Rochester MN 55901
Reported Date: 2023.09.12 13:14

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED