



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003826 F 12/05/1988 34 Y

## Referral Testing

Collected: 09/12/2023 13:13 Received: 09/12/2023 13:13

Test Name	Result	Flag	Ref-Ranges	Units	Site
NMO/AQP4-IgG FACS, Serum	See Below				WMMR

Test	Result	Flag	Ref Range
NMO/AQP4 FACS, S	Positive	H	Negative

Screen positive, see confirmatory test results.

NMO/AQP4 FACS Titer, S	Positive		
	>1:100000	H	<1:5 titer

This autoantibody supports the diagnosis of neuromyelitis optica or a neuromyelitis optica spectrum disorder. Seropositivity predicts high risk for relapse of myelitis, optic neuritis or both.

### Laboratory Notes

This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Test(s) performed at  
Mayo Clinic Laboratories - Rochester Main Campus  
200 First St SW Rochester, MN 55905  
Lab Director William G. Morice M.D. Ph.D

Performing Site:

WMMR: MAYO CLINICAL LABS 3050 Superior Drive NW Rochester MN 55901

**Reported Date:** 2023.09.12 13:14

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F312000016  
WX0000003826

Ordered By: KAJAL SITWALA, MD, PhD  
WX00000000002353

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

Printed D&T: 09/12/23 13:14

PAGE 1 OF 1