



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT**  
WX0000073111 F 02/15/1985

Collected: 02/12/2020 21:34

Received: 02/12/2020 21:34

## Opiate Panel, Serum

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Hydrocodone, Serum (Vicodin)	20.0	H	<5.0	ng/mL	WMRL
Codeine, Serum	20.0	H	<5.0	ng/mL	WMRL
Oxycodone, Serum (Oxycontin)	20.0	H	<5.0	ng/mL	WMRL
Morphine, Serum	20.0	H	<5.0	ng/mL	WMRL
Hydromorphone (Dilaudid)	20.0	H	<5.0	ng/mL	WMRL
Oxymorphone, Serum (Numorphan)	20.0	H	<5.0	ng/mL	WMRL

For Medical Use Only

If applicable, any drug confirmation testing reported here was developed and the performance characteristics determined by Warde Medical Laboratory. This confirmation testing has not been cleared or approved by the FDA. The laboratory is regulated under CLIA as qualified to perform high-complexity testing. This test is used for patient testing purposes. It should not be regarded as investigational or for research.

Performing Site:

WMRL: Warde Medical Laboratory 300 West Textile Road Ann Arbor MI 48108 (800)876-6522

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

6212003723  
WX0000073111

Ordered By: CLIENT CLIENT,  
WX00000000409391

WMB-20-95443

PAGE 1 OF 1

William G. Finn, M.D. - Medical Director