



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003826 F 12/05/1988 34 Y

## Referral Testing

Collected: 09/07/2023 15:47 Received: 09/07/2023 15:47

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Plasminogen Activator Inhibitor	16.1		<=25.0	IU/mL	ARRL

TEST INFORMATION: Plasminogen Activator Inhibitor, Activity

Plasminogen Activator Inhibitor 1 (PAI-1) has diurnal variation, with higher concentration in the morning and decreased concentration in the afternoon. PAI-1 is also an acute phase reactant. The reference interval was established from fasting samples drawn between 8 am and 12 pm.

This assay was designed primarily to identify elevated PAI-1 Activity, which is thought to be a thrombotic risk factor. Concentrations below 2.0 IU/mL are not accurately quantified by this assay. A test result of less than 2.0 IU/mL is not diagnostic of PAI-1 deficiency and may be seen in normal individuals.

Performed By: ARUP Laboratories  
500 Chipeta Way  
Salt Lake City, UT 84108  
Laboratory Director: Jonathan R. Genzen, MD, PhD  
CLIA Number: 46D0523979

Performing Site:

ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

**Reported Date:** 2023.09.07 15:47

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F307000063 Ordered By: KAJAL SITWALA, MD, PhD  
WX0000003826 WX00000000002353  
Printed D&T: 09/07/23 15:48

Kajal V. Sitwala, MD, PhD - Medical Director  
Form: MM RL1  
PAGE 1 OF 1