



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/11/2023 13:50 Received: 09/11/2023 13:50

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Pancreastatin	See Below				WMIS

Test	Result	Adult Reference Range(s)
PANCREASTATIN (Plasma)	73	10-135 pg/ml

This radioimmunoassay was developed and its performance characteristics determined by Inter Science Institute. It has not been cleared or approved by the FDA and such approval or clearance is not required at this time. Values obtained with different methods, different laboratories or with kits cannot be used interchangeably with the results on this report. The results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.

Test(s) performed at
INTER SCIENCE INSTITUTE
944 WEST HYDE PARK
INGLEWOOD, CA 90302
James Lee, MD, PhD Laboratory Director

Performing Site:
WMIS: INTER SCIENCE INSTITUTE 944 West Hyde Park Blvd Inglewood CA 90302

Reported Date: 2023.09.11 13:50

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F311000020
WX0000003827
Printed D&T: 09/11/23 13:50

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002365

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1