



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/11/2023 13:19 Received: 09/11/2023 13:19

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Paraldehyde and Metabolite, Serum/Plasma; Paraldehyde, None Detected, mcg/mL, NMRL.

Reporting Limit: 1.0 mcg/mL
Sedative range: 10-100 mcg/mL.
Anesthesia range: Greater than 200 mcg/mL.
Potentially lethal concentration:
Greater than 500 mcg/mL.
Analysis by Headspace Gas Chromatography (GC)

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 2: Acetaldehyde, None Detected, mg/dL, NMRL.

Reporting Limit: 0.50 mg/dL
Synonym(s): Paraldehyde Metabolite
Normal: Up to 0.02 mg/dL in blood.
Acetaldehyde is an unstable compound post-collection
and will both form and degrade under certain sample
handling conditions. Even when extreme precautions are
taken to maintain the integrity of Acetaldehyde during
sample collection, transport and analysis, the results
will be affected under typical collection and
laboratory procedures.
The blood to serum ratio for acetaldehyde is unknown.
Analysis by Headspace Gas Chromatography (GC)
This test was developed and its performance
characteristics determined by NMS Labs. It has not
been cleared or approved by the US Food and Drug
Administration.

Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

Reported Date: 2023.09.11 13:20 PARAS

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED