



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/05/2023 15:46 Received: 09/05/2023 15:46

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Quetiapine Serum/Plasma, 210, ng/mL, NMRL

Reporting Limit: 5.0 ng/mL
Synonym(s): Seroquel(R)
Steady-state peak (1.0 to 1.5 hours) plasma levels following a t.i.d. daily regimen:
286 ng/mL (225 mg/day)
598 ng/mL (450 mg/day)
828 ng/mL (750 mg/day)
The plasma half-life is approximately 6 hours.
Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

Reported Date: 2023.09.05 15:47

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED