



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 09/05/2023 13:29 Received: 09/05/2023 13:29

Test Name Result Flag Ref-Ranges Units Site

Recombix(R) Amphiphysin Autoantibody

Interpretation SEE NOTE QCRL

NEGATIVE
This test did not detect abnormal levels of anti-amphiphysin antibodies.

Technical Results SEE NOTE QCRL

Interpretive Result Table
INTERPRETIVE RESULT: Negative
TEST: anti-amphiphysin
TECHNICAL RESULT: <1:100
REFERENCE RANGE: Serum <1:100

Comments SEE NOTE QCRL

Comments: This result does not exclude a diagnosis of an autoimmune etiology for the neurological symptoms associated with paraneoplastic disorder.

Recommendations: Health care providers, please contact the Athena Diagnostics Client Services Department at 1-800-394-4493 if you wish to speak with a clinical consultant regarding this test result.

Other testing available: Athena Diagnostics currently offers the following antibody tests: anti-CASPR2, anti-CV2, anti-GAD65, anti-ganlionic nAChR, anti-Hu, anti-LGI1, anti-Ma, anti-Ta, anti-NMDA, anti-Recoverin, anti-Ri, anti-VGCC, anti-VGKC, anti-Yo, and anti-Zic4. Please contact the Athena Diagnostics Client Services Department or visit AthenaDiagnostics.com for information regarding additional testing that may be appropriate based on this individual's clinical presentation.

Background information: Paraneoplastic neurological syndromes or disorders (PNS or PND) are rare immune-mediated disorders resulting from nervous system damage due to the remote effects of a tumor. PND of the central nervous system may occur in association with either onconeural antibodies directed against intracellular antigens, or antibodies targeted against neuronal surface antigens. These autoantibodies have been associated with various clinical presentations and malignancies.

Methods SEE NOTE QCRL

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003826 F 12/05/1988 34 Y

## Referral Testing

Collected: 09/05/2023 13:29 Received: 09/05/2023 13:29

| <u>Test Name</u> | <u>Result</u> | <u>Flag</u> | <u>Ref-Ranges</u> | <u>Units</u> | <u>Site</u> |
|------------------|---------------|-------------|-------------------|--------------|-------------|
|------------------|---------------|-------------|-------------------|--------------|-------------|

Detection of antibodies was performed by automated nanoliter scale immunoassay.

Although rare, false positive or false negative results may occur. All results should be interpreted in the context of clinical findings, relevant history, and other laboratory data.

References **SEE NOTE** QCRL

1. Titulaer, MJ, et al. (2011) Eur J Neurol 18: 19-e3. (PMID: 20880069)
2. Zuliani, L, et al. (2012) J Neurol Neurosurg Psychiatry 83: 638-45. (PMID: 22448032)

This test was developed and its analytical performance characteristics have been determined by Athena Diagnostics. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Laboratory oversight provided by Joseph J. Higgins, M.D., F.A.A.N., CLIA license holder, Athena Diagnostics (CLIA # 22D0069726)

Testing performed at:  
Athena Diagnostics 200 Forest Street Marlborough, MA 01752

Test Performed at:  
Athena Diagnostics, Inc.  
200 Forest Street, 2nd Floor  
Marlborough, MA 01752 T E Mullen PhD, FACMG

Performing Site:

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

**Reported Date:** 2023.09.05 13:29 RAMP A

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F305000030 Ordered By: KAJAL SITWALA, MD, PhD  
WX0000003826 WX00000000002353  
Printed D&T: 09/05/23 13:30

Kajal V. Sitwala, MD, PhD - Medical Director  
Form: MM RL1  
PAGE 2 OF 2