



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 09/06/2023 14:54 Received: 09/06/2023 14:54

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Salmonella Total Ab (EIA)					
Salmonella H, Type a	NEGATIVE				QCRL
Salmonella H, Type b	NEGATIVE				QCRL
Salmonella H, Type d	NEGATIVE				QCRL
Salmonella O, Type Vi	NEGATIVE				QCRL
Salmonella O, Type D	NEGATIVE				QCRL

REFERENCE RANGE: NEGATIVE

Antibodies to Salmonella flagellar (H) and somatic (O) antigens typically peak 3-5 weeks after infection. A positive result in this assay is equivalent to a titer of $\geq 1:160$ by tube agglutination (Widal). Results should not be considered as diagnostic unless confirmed by culture.

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042 I Maramica MD, PhD

Performing Site:

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

Reported Date: 2023.09.06 14:55 SALMT

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F306000035
WX0000003826
Printed D&T: 09/06/23 14:55

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002353

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1