



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 08/29/2023 15:22 Received: 08/29/2023 15:22

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Soluble Liver Antigen Auto Abs, <20.1, U, QCRL

Reference Range:
NEGATIVE: 0.0-20.0
EQUIVOCAL: 20.1-24.9
POSITIVE: >=25.0

Antibodies to soluble liver antigen (SLA) appear to be directed against the UGA-suppressor tRNA associated protein. These antibodies are highly specific for autoimmune hepatitis (AIH) and may, rarely, be the only autoantibodies detected in serum from such patients. Antibodies to SLA are most closely associated with AIH type 1; the presence of these antibodies in patients with cryptogenic hepatitis suggests that these patients may have AIH type 1. Anti-SLA antibodies may be detected in some patients with the primary biliary cirrhosis-AIH overlap syndrome, but not in healthy controls.

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042 I Maramica MD, PhD, MBA

Performing Site:
QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

Reported Date: 2023.08.29 15:23

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED