



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT
WX0000073111 F 02/15/1985

Collected: 02/12/2020 21:42

Received: 02/12/2020 21:42

Nicotine and Cotinine, Serum

Test Name	Result	Flag	Ref-Ranges	Units	Site
Nicotine	10.0	H	<2.0	ng/mL	WMRL
Cotinine	10.0	H	<2.0	ng/mL	WMRL

Additional Reference Ranges:

	Active Tobacco User	Passive Exposure	Abstinence 2 Weeks and more
	=====	=====	=====
Nicotine	30 - 50 ng/mL	<2 ng/mL	<2 ng/mL
Cotinine	200 - 800 ng/mL	<8 ng/mL	<2 ng/mL

Reference Ranges from: Clin. Chem.; 48:1460-1471 (2002)

Direct any interpretive questions to the toxicology laboratory.

This is for medical use only, it is not intended for forensic use.

If applicable, any drug confirmation testing reported here was developed and the performance characteristics determined by Warde Medical Laboratory. This confirmation testing has not been cleared or approved by the FDA. The laboratory is regulated under CLIA as qualified to perform high-complexity testing. This test is used for patient testing purposes. It should not be regarded as investigational or for research.

Performing Site:

WMRL: Warde Medical Laboratory 300 West Textile Road Ann Arbor MI 48108 (800)876-6522

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

6212003746
WX0000073111

Ordered By: CLIENT CLIENT,
WX00000000409391

WMB-20-95466
PAGE 1 OF 1

William G. Finn, M.D. - Medical Director