



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 08/28/2023 15:48 Received: 08/28/2023 15:48

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Toxoplasma gondii IgA Antibody, ELISA, <0.90, QDRL

REFERENCE RANGE: <0.90

INTERPRETIVE CRITERIA:

- <0.90 Antibody not detected
0.90-1.09 Equivocal
> or = 1.10 Antibody detected

IgA antibodies against Toxoplasma gondii have been detected in acute toxoplasmosis, but not in chronic toxoplasmosis or in uninfected individuals. T. gondii IgA thus may be a valuable tool for the Early detection of acute disease in pregnant women and individuals with AIDS. Because IgA antibodies do not cross the placenta, assessment of IgA antibodies against T. gondii also may be a reliable method for detecting congenital T. gondii infection.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

TEST PERFORMED AT:

QUEST DIAGNOSTICS/NICHOLS SJC
33608 ORTEGA HWY SAN JUAN CAPISTRANO, CA 92675-2042
IRINA MARAMICA, MD, PHD, MBA

Performing Site:

QDRL: QUEST DIAGNOSTICS REFERENCE LAB VALENCIA 27027 Tourney Road Valencia CA 91355

Reported Date: 2023.08.28 15:49

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED