



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT

WX0000073111 F 02/15/1985 35 Y

Immunochemistry

Collected: 02/12/2020 21:03

Received: 02/12/2020 21:03

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Thyroid Antibody Panel					
Anti-thyroglobulin Antibody	36	H	<4	IU/mL	WMRL
According to the reagent manufacturer, consumption of biotin supplements, or multivitamins containing biotin, may interfere with the results of this assay. For individuals taking biotin-containing supplements, testing at least three days after cessation of supplement consumption is recommended.					
Thyroid Peroxidase (TPO) Ab	30	H	<9	IU/mL	WMRL

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

6212003518
WX0000073111
Printed D&T: 03/09/20 13:43

Ordered By: CLIENT CLIENT
WX00000000409391

William G. Finn, M.D. - Medical Director
Form: MM RL1
PAGE 1 OF 1