



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 08/29/2023 09:45 Received: 08/29/2023 09:45

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Thallium, <1, <2, ng/mL, MMRL

-----ADDITIONAL INFORMATION-----
This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Test Performed by:
Mayo Clinic Laboratories - Rochester Superior Drive
3050 Superior Drive NW, Rochester, MN 55905
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D1040592

Performing Site:
MMRL: MAYO MEDICAL REFERENCE LAB 3050 Superior Drive NW Rochester MN 55901

Reported Date: 2023.08.29 9:47

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F229000011 Ordered By: KAJAL SITWALA, MD, PhD
WX0000003826 WX00000000002353
Printed D&T: 08/29/23 09:48

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1