

Example Client, XYZ123 1234 Warde Road Ann Arbor MI 48108 **EXAMPLE, REPORT** WX0000073111 F 02/15/1985 35 Y

	Immunoche	mistry			
		ed: 02/12/2020	0 21:03 Rec	eived: 02/12/2020	21:03
Test Name	<u>Result</u>	<u>Flag</u>	Ref-Ranges	Units	Site
Thyroglobulin and Anti-Thyroglobulin Antibody Panel Anti-thyroglobulin Antibody 5 H <4					
	U			IO/IIIE	
According to the reagent manufacturer, consumption of biotin supplements, or multivitamins containing biotin, may interfere with the results of this assay. For individuals taking biotin- containing supplements, testing at least three days after cessation of supplement consumption is recommended. Thyroglobulin 140.0 H 1.6-50.0 ng/mL WMRL					
Thyroglobulin antibodies can determination of thyroglobul thyroglobulin antibodies, pl thyroglobulin result with ca According to the reagent man supplements, or multivitamin with the results of this ass	<pre>in. If the speci ease interpret t ution. ufacturer, consu s containing bio</pre>	men contai he mption of i tin, may i	biotin nterfere		
containing supplements, test cessation of supplement cons	ing at least thr	ee days af			
		WMRL: WARDE M			ming Site: