



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT

WX0000073111 F 02/15/1985 35 Y

Molecular

Collected: 03/17/2020 09:27

Received: 03/17/2020 09:27

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Trichomonas vaginalis RNA, Qualitative. Row 2: Specimen Source: Vaginal, Site: WMRL. Row 3: Trichomonas vaginalis, Result: Not detected, Site: WMRL.

This test utilizes Transcription Mediated Amplification (TMA) and Hybridization Protection Assay to amplify and detect specific ribosomal RNA sequences in Trichomonas vaginalis strains. The analytical sensitivity of this assay is 0.1 T. vaginalis organisms per milliliter. A "Not detected" result does not rule out infection.

Therapeutic success or failure cannot be determined by this assay because nucleic acids may persist following appropriate antimicrobial therapy.

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

6317000367
WX0000073111
Printed D&T: 04/01/20 09:48

Ordered By: CLIENT CLIENT
WX00000000409391

William G. Finn, M.D. - Medical Director
Form: MM RL1
PAGE 1 OF 1