



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT
WX0000073111 F 02/15/1985

Collected: 02/12/2020 22:02

Received: 02/12/2020 22:02

Urine Drug Screen, Comprehensive

Table with 4 columns: Test Name, Result, Unit, Site. Includes 'Drug Result' and 'Drugs Detected in Urine:' with a list of substances like MDEA, Opiates, THC, etc.

Methylenedioxyethylamphetamine (MDEA) confirmed by gas chromatography-mass spectrometry.

All drugs identified should be considered presumptive positives unless they have been identified by an alternate chemical method. These drugs have been qualitatively identified by either or both immunoassay or gas chromatography/mass spectrometry (GC/MS)

Table with 4 columns: Creatinine (40 mg/dL), Adulterant (Negative), Adulterant Decision Limit (200 ug/mL).

The adulterant assay tests for General Oxidants, including Chromates and Nitrites. Adulterants are substances either ingested or added directly to a urine specimen to prevent the detection of drug use.

The comprehensive urine drug screen includes qualitative analysis for the drugs listed below.

Table listing various drugs such as Acetaminophen, 6-Acetylmorphine, Amphetamine, Amitriptyline, Barbiturates, Benzodiazepines, Beta-Blocker, MDA, MDEA, MDMA, Methylphenidate, Meperidine, Meprobamate, Methadone.

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

6212003819
WX0000073111

Ordered By: CLIENT CLIENT,
WX00000000409391

WMB-20-95523
PAGE 1 OF 2

William G. Finn, M.D. - Medical Director



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT
WX0000073111 F 02/15/1985

Table with 4 columns: Test Name, Result, Unit, Site. Lists various substances like Bupropion, Caffeine, Carbamazepine, etc.

The benzodiazepine screening test and if applicable, any other drug confirmatory testing by LCMSMS/GCMS were developed at Warde Medical Laboratory. While the performance characteristics have been fully evaluated and validated using appropriate protocols, this benzodiazepine screening test and all confirmatory tests have not been cleared or approved by the FDA. Warde Laboratory is regulated under CLIA as qualified to perform high complexity testing. These tests is for patient testing and should not be interpreted for investigation or research purposes.

Performing Site:

WMRL: Warde Medical Laboratory 300 West Textile Road Ann Arbor MI 48108 (800)876-6522

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

6212003819
WX0000073111

Ordered By: CLIENT CLIENT,
WX00000000409391

WMB-20-95523
PAGE 2 OF 2

William G. Finn, M.D. - Medical Director