



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003827 M 07/08/1978 45 Y

## Referral Testing

Collected: 09/29/2023 07:39 Received: 09/29/2023 07:39

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Galactose (Quant) - Urine	See Below				WMMR

Test	Result	Flag	Ref Range
Galactose, QN, U	<1		<30 mg/dL

### Laboratory Notes

This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Test(s) performed at  
Mayo Clinic Laboratories - Rochester Main Campus  
200 First Street SW, Rochester, MN 55905  
Lab Director William G. Morice M.D., Ph.D.

Performing Site:

WMMR: MAYO CLINICAL LABS 3050 Superior Drive NW Rochester MN 55901

**Reported Date:** 2023.09.29 7:40

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F329000001  
WX0000003827  
Printed D&T: 09/29/23 07:40

Ordered By: KAJAL SITWALA, MD, PhD  
WX000000000002365

Kajal V. Sitwala, MD, PhD - Medical Director  
Form: MM RL1  
PAGE 1 OF 1