



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT
WX0000073111 F 02/15/1985

Collected: 02/12/2020 22:03

Received: 02/12/2020 22:03

Clin Urine 6-Acetylmorphine Quant

Table with 4 columns: Test Name, Result, Unit, Site. Row 1: 6-Acetylmorphine Interp., Negative, Unit, WMRL. Row 2: Creatinine: 100 mg/dL. Row 3: Adulterants: Negative.

Decision Limits table with 2 columns: Screen Cutoff Conc., Confirm Cutoff Conc. Row 1: 6-Acetylmorphine, 2 ng/mL, 2 ng/mL.

Adulterant Decision Limit:
General Oxidants 200 ug/mL

The adulterant assay tests for General Oxidants, including Chromates and Nitrites. Adulterants are substances either ingested or added directly to a urine specimen to prevent the detection of drug use.

If applicable, any drug confirmation testing reported here was developed and the performance characteristics determined by Warde Medical Laboratory. This confirmation testing has not been cleared or approved by the FDA. The laboratory is regulated under CLIA as qualified to perform high-complexity testing. This test is used for patient testing purposes. It should not be regarded as investigational or for research.

Performing Site:

WMRL: Warde Medical Laboratory 300 West Textile Road Ann Arbor MI 48108 (800)876-6522

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

6212003823
WX0000073111

Ordered By: CLIENT CLIENT,
WX00000000409391

WMB-20-95527
PAGE 1 OF 1

William G. Finn, M.D. - Medical Director