

LABORATORY REPORT

Example Client, XYZ123 1234 Warde Road Ann Arbor MI 48108 $\mathbf{EXAMPLE},\,\mathbf{REPORT}\,\mathbf{W}$

WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 08/18/2023 10:45 Received: 08/18/2023 10:45

Test Name Result Flag Ref-Ranges Units Site

Warfarin, Serum/Plasma None Detected mcg/mL NMRL

Reporting Limit: 0.20 mcg/mL Synonym(s): Coumadin(R) The dosage of warfarin is best adjusted based on the International Normalized Ratio (INR) for prothrombin time. Peak plasma concentrations following single 10 mg doses averaged 0.6 mcg/mL for both R-warfarin and S-warfarin (combined concentration 1.2 mcg/mL). This test is not chiral specific and does not distinguish between the R and S enantiomers of warfarin. The blood to plasma ratio is approximately 0.5. Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS) This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

Testing performed at NMS Labs, Inc. 200 Welsh Road Horsham, PA 19044-2208 CLIA 39D0197898

Reported Date: 2023.08.18 10:46