



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/07/2023 14:37 Received: 09/07/2023 14:37

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Porphyrins Evaluation, Whole Blood, See Below, WMMR

Table with 4 columns: Test, Result, Flag, Ref Range. Row 1: Porphyrins, Evaluation, WB, 50, <80 mcg/dL

Interpretation
In this sample, the total porphyrin level was normal.

Reviewed By: Silvia Tortorelli, M.D., Ph.D.

ADDITIONAL INFORMATION
Spectrofluorometry

Laboratory Notes
This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Test(s) performed at
Mayo Clinic Laboratories - Rochester Main Campus
200 First Street SW, Rochester, MN 55905
Lab Director William G. Morice M.D., Ph.D.

Performing Site:
WMMR: MAYO CLINICAL LABS 3050 Superior Drive NW Rochester MN 55901
Reported Date: 2023.09.07 14:38

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED