



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/08/2023 10:18 Received: 09/08/2023 10:18

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Perphenazine (Trilafon), 0.28, ng/mL, NMRL

Reporting Limit: 0.20 ng/mL
Synonym(s): Trilafon(R)
Comment:
Substance(s) known to interfere with the identity and/or quantity of the reported result: Diclofenac
Daily regimen of 12 to 48 mg: 0.3-30 ng/mL
Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

Reported Date: 2023.09.08 10:18

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F308000023 Ordered By: KAJAL SITWALA, MD, PhD
WX0000003827 WX00000000002365
Printed D&T: 09/08/23 10:19

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1