

Warde Lab Prenatal Screen Test Summary		Test Mnemonic	When Performed (Weeks)	Screens for: Down = Down syndrome T18 = Trisomy 18 NTD = Neural tube defects	NT & CRL <u>Required</u> by FMF or NTQR sonographer	Down Detection Rate	Down False Positive Rate
Select Only ONE Test	FULL INTEGRATED SCREEN 2 blood draws	FI1NT 1 <sup>st</sup> draw	CRL 32 to 79.9 mm (No risk available *)	<u>Down, T18 &amp; NTD</u> * Results provided with 2 <sup>nd</sup> draw.	<b>YES</b>	87%	1%
		FI2NT 2 <sup>nd</sup> draw	15w, 0d to 22w, 6d				
	SEQUENTIAL SCREEN 2 blood draws	SS1 1 <sup>st</sup> draw	CRL 36 to 79.9 mm (No risk available *)	<u>Down, T18 &amp; NTD</u> * Results provided with 2 <sup>nd</sup> draw, unless in high risk group (>1:25) with 1 <sup>st</sup> draw	<b>YES</b>	87%	1%
		SS2 2 <sup>nd</sup> draw	15w, 0d to 22w, 6d				
	SERUM INTEGRATED SCREEN 2 blood draws	SI1 1 <sup>st</sup> draw	10w, 0d to 13w, 6d (No risk available *)	<u>Down, T18 &amp; NTD</u> * Results provided with 2 <sup>nd</sup> draw	NO	86%	3%
		SI2 2 <sup>nd</sup> draw	15w, 0d to 22w, 6d				
	FIRST TRIMESTER SCREEN	FTS	CRL 42 to 79.9 mm	<u>Down &amp; T18 only</u> (Order MSAFP in 2 <sup>nd</sup> trimester for NTD)	<b>YES</b>	83%	4%
	MATERNAL SERUM ALPHA- FETO PROTEIN	MSAFP	15w, 0d to 22w, 6d	<u>NTD only</u>	NO	N/A	N/A
	QUAD	QUAD	15w, 0d to 22w, 6d	<u>Down, T18 &amp; NTD</u>	NO	83%	5%

- Please fill out the Warde Medical Laboratory Prenatal Information Sheet completely (ultrasound dating preferred) to achieve optimal risk assessment. Incomplete information may result in delayed reporting.