

Update Notes

Please see test code MENGI for updated interface order and result codes.

Update Summary

Update Existing Test	3/8/2019	METHX - "Methsuximide as Metabolite, Serum/Plasma"
Update Existing Test	3/11/2019	MUPCR - "SureSwab(R), Mycoplasma/Ureaplasma Panel, PCR"
Update Existing Test	3/8/2019	UCTHC - "Clin Urine THC Confirm"
Update Existing Test	3/8/2019	UTHGF - "THC, URINE FORENSIC, GC/MS Confirmation (QUANTITATIVE)"
Inactivate Test With Replacement	3/11/2019	BACAQ - "Bacterial Antigen Panel" replaced by BACAP - "Bacterial Meningitis Antigen Panel, Latex Agglutination"
Inactivate Test With Replacement	3/11/2019	FLBSB - "Beta Streptococcus Grp B Ag-Fluid" replaced by STRPB - "Streptococcus Group B Antigen, LA"
Inactivate Test With Replacement	3/11/2019	FLECO - "Escherichia Coli K-1 Ag - Fluid" replaced by MENGI - "N. meningitidis Antigens, Latex Agglutination"
Inactivate Test With Replacement	3/11/2019	FLHIB - "H. Influenza Group B Ag - Fluid" replaced by HAEIN - "Haemophilus influenzae Type B Antigen"
Inactivate Test With Replacement	3/11/2019	FLPN - "Strep. pneumoniae Antigen Detection" replaced by STPAG - "Streptococcus pneumoniae Antigen Detection, LA"
Inactivate Test With Replacement	3/8/2019	UIODQ - "Iodine, 24 Hour, Urine" replaced by UIOD - "Iodine, 24 Hour, Urine"
Inactivate Test With Replacement	3/8/2019	UIODR - "Iodine, Random, U" replaced by ICRUR - "Iodine/Creatinine Ratio, Random, Urine"
Inactivate Test Without Replacement	3/8/2019	FLNMN - "N. meningitidis Ag - Fluid"

Update Existing Test			
Effective Date	3/8/2019		
Name	Methsuximide as Metabolite, Serum/Plasma		
Code	METHX		
Interface Order Code	3504930		
Legacy Code	METHSUX		
Notes			
Required Testing Changes			
Specimen Required	Draw blood in a red-top tube. Centrifuge and remove serum from cells within 2 hours of collection. Send 1.0 mL serum (0.3 mL minimum) refrigerated in a screw-capped plastic vial.		
Stability	Room temperature: 7 days; Refrigerated: 14 days; Frozen: 14 days		
Methodology	High Performance Liquid Chromatography/Tandem Mass Spectrometry		
Turnaround Time	10-12 days		
Performing Laboratory	NMS Labs		
Result Code	Name	LOINC Code	AOE/Prompt ²
3504930	Methsuximide (Celontin)	10546-0	No

Update Existing Test	
Effective Date	3/11/2019
Name	SureSwab(R), Mycoplasma/Ureaplasma Panel, PCR
Code	MUPCR
Legacy Code ¹	MUPCR
Interface Order Code	3400019
Notes	
Required Testing Changes	
Specimen Required	Vaginal Swab: Follow instructions in the Aptima Swab Specimen Collection kit. Send refrigerated.
Alternate Specimen	Urine: Male urine collected in an Aptima Urine Specimen Transport tube. Collect a first-catch urine in a urine cup (preservative free). Transfer 2.0 mL of urine to an Aptima Urine Specimen Transport tube within 24 hours of collection. Fluid levels should be between the black lines on the tube label. Male Urethral swab: Follow instructions in the Aptima Unisex Swab Specimen Collection kit.
Rejection Criteria	Urine from a female patient, transport tubes with 2 swabs, transport tubes with non-Aptima swabs, transport tubes with no swab, swab in non-Aptima transport tube, urine submitted in non-Aptima transport containers.
Stability	Room temperature: 14 days; Refrigerated: 14 days; Frozen: 30 days
Methodology	Real-Time Polymerase Chain Reaction (PCR)
Reference Range	Not detected
Performed Days	Monday-Saturday
Turnaround Time	5-7 days
Performing Laboratory	Quest SJC

Update Existing Test	
Effective Date	3/8/2019
Name	Clin Urine THC Confirm
Code	UCTHC
Interface Order Code	1848100
Legacy Code	UCTHC
Notes	
Required Testing Changes	
Specimen Required	Collect random urine. Mix well and send 20.0 mL urine (8.0 mL minimum) refrigerated in a screw-capped plastic urine container.

Update Existing Test	
Effective Date	3/8/2019
Name	THC, URINE FORENSIC, GC/MS Confirmation (QUANTITATIVE)
Code	UTHGF
Notes	
Required Testing Changes	
Specimen Required	Collect random urine. Mix well and send 20.0 mL urine (8.0 mL minimum) refrigerated in a screw-capped plastic container.

Inactivate Test With Replacement	
Effective Date	3/11/2019
Inactivated Test	
Name	Bacterial Antigen Panel
Code	BACAQ
Legacy Code ¹	BACAQ
Interface Order Code	3421300
Notes	
Replacement Test	
Name	Bacterial Meningitis Antigen Panel, Latex Agglutination
Code	BACAP
CPT Code(s)	86403 x 5
Notes	
Specimen Requirements	
Specimen Required	Collect CSF. Send 2.0 mL CSF (1.0 mL minimum) frozen in an IATA-approved screw-capped plastic vial.
Alternate Specimen	Serum - 2.0 mL (1.0 mL minimum)
Rejection Criteria	Hemolysis, lipemia, urine, other body fluids, blood culture broth
Stability	Room temperature; Unacceptable; Refrigerated: 24 hours; Frozen: 7 days
Performing Information	
Methodology	Latex Agglutination
Reference Range	Not detected
Performed Days	Monday-Sunday
Turnaround Time	2-4 days
Performing Laboratory	Quest SJC
Interface Information	
Legacy Code ¹	BACAP
Interface Order Code	3400123

Result Code	Name	LOINC Code	AOE/Prompt ²
3400124	Source	31208-2	Yes
3400126	Streptococcus, Group B Ag	20459-4	No
3400127	H. influenzae Type B Ag	21320-7	No
3400128	S. pneumoniae Ag	17652-9	No
3400129	N. meningitidis B/E.coli K1	31915-2	No
3400130	N. meningitidis A, C, Y, W135	31910-3	No

Inactivate Test With Replacement			
Effective Date	3/11/2019		
Inactivated Test			
Name	Beta Streptococcus Grp B Ag-Fluid		
Code	FLBSB		
Legacy Code¹	FLBSTPB		
Interface Order Code	3503216		
Notes			
Replacement Test			
Name	Streptococcus Group B Antigen, LA		
Code	STRPB		
CPT Code(s)	86403		
Notes			
Specimen Requirements			
Specimen Required	Send 2.0 mL CSF (1.0 mL minimum) frozen in a screw-capped plastic vial.		
Alternate Specimen	Serum: 2.0 mL (0.5 mL minimum)		
Rejection Criteria	Hemolysis, lipemia, urine, other body fluids, blood culture broth		
Stability	Room temperature: Unacceptable; Refrigerated: 24 hours; Frozen: 7 days		
Performing Information			
Methodology	Latex Agglutination		
Reference Range	Not detected		
Performed Days	Sunday-Saturday		
Turnaround Time	2-4 days		
Performing Laboratory	Quest SJC		
Interface Information			
Legacy Code¹	STRPB		
Interface Order Code	3400136		
Result Code	Name	LOINC Code	AOE/Prompt²
3400137	Source	31208-2	Yes
3400138	Streptococcus, Group B Ag	20459-4	No

Inactivate Test With Replacement			
Effective Date	3/11/2019		
Inactivated Test			
Name	Escherichia Coli K-1 Ag - Fluid		
Code	FLECO		
Legacy Code¹	FLECOLI		
Interface Order Code	3503218		
Notes			
Replacement Test			
Name	N. meningitidis Antigens, Latex Agglutination		
Code	MENGI		
CPT Code(s)	86403 x 2		
Notes	<i>Please Note: the new test code MENGI can also be used as a replacement for FLNMN.</i>		
Specimen Requirements			
Specimen Required	Draw blood in a SST. Centrifuge, remove serum from cells and send 2.0 mL serum (0.5 mL minimum) frozen in a screw-capped plastic vial.		
Alternate Specimen	2.0 (1.0 mL minimum) CSF		
Rejection Criteria	Hemolysis, lipemia, urine, body fluids other than serum or CSF, blood culture broth		
Stability	Room temperature: Unacceptable; Refrigerated: 24 hours; Frozen: 7 days		
Performing Information			
Methodology	Latex Agglutination		
Reference Range	Not detected		
Performed Days	Sunday-Saturday		
Turnaround Time	2-4 days		
Performing Laboratory	Quest SJC		
Interface Information			
Legacy Code¹	MENGI		
Interface Order Code	3400151		
Result Code	Name	LOINC Code	AOE/Prompt ²
3400152	Source	31208-2	Yes
3400153	N. meningitidis B/E.coli K1	31915-2	No
3400154	N. meningitidis Groups A, C, Y, W135	31910-3	No

Inactivate Test With Replacement			
Effective Date	3/11/2019		
Inactivated Test			
Name	H. Influenza Group B Ag - Fluid		
Code	FLHIB		
Legacy Code¹	FLHINFU		
Interface Order Code	3503205		
Notes			
Replacement Test			
Name	Haemophilus influenzae Type B Antigen		
Code	HAEIN		
CPT Code(s)	86403		
Notes			
Specimen Requirements			
Specimen Required	Send 2.0 mL CSF (1.0 mL minimum) frozen in a screw-capped plastic vial.		
Alternate Specimen	Serum: 2.0 mL (0.5 mL minimum)		
Rejection Criteria	Hemolysis, lipemia, urine, other body fluids, blood culture broth		
Stability	Room temperature: Unacceptable; Refrigerated: 24 hours; Frozen: 7 days		
Performing Information			
Methodology	Latex Agglutination		
Reference Range	Not detected		
Performed Days	Sunday-Saturday		
Turnaround Time	2-4 days		
Performing Laboratory	Quest SJC		
Interface Information			
Legacy Code¹	HAEIN		
Interface Order Code	3400131		
Result Code	Name	LOINC Code	AOE/Prompt²
3400132	Source	31208-2	Yes
3400133	H. influenzae Type B ag	21320-7	No

Inactivate Test With Replacement			
Effective Date	3/11/2019		
Inactivated Test			
Name	Strep. pneumoniae Antigen Detection		
Code	FLPN		
Legacy Code¹	FLSPNEUQ		
Interface Order Code	3423140		
Notes			
Replacement Test			
Name	Streptococcus pneumoniae Antigen Detection, LA		
Code	STPAG		
CPT Code(s)	86403		
Notes			
Specimen Requirements			
Specimen Required	Send 2.0 mL CSF (1.0 mL minimum) frozen in a screw-capped plastic vial.		
Alternate Specimen	Serum: 2.0 mL (0.5 mL minimum)		
Rejection Criteria	Hemolysis, lipemia, other body fluids, blood culture broth		
Stability	Room temperature: Unacceptable; Refrigerated: 24 hours; Frozen: 7 days		
Performing Information			
Methodology	Latex Agglutination		
Reference Range	Not detected		
Performed Days	Monday-Saturday		
Turnaround Time	3-5 days		
Performing Laboratory	Quest SJC		
Interface Information			
Legacy Code¹	STPAG		
Interface Order Code	3400139		
Result Code	Name	LOINC Code	AOE/Prompt ²
3400146	Specimen Source	31208-2	Yes
3400147	Streptococcus pneumoniae Ag	17652-9	No

Inactivate Test With Replacement			
Effective Date	3/8/2019		
Inactivated Test			
Name	Iodine, 24 Hour, Urine		
Code	UIODQ		
Legacy Code¹	UIODMA		
Interface Order Code	3802880		
Notes			
Replacement Test			
Name	Iodine, 24 Hour, Urine		
Code	UIOD		
CPT Code(s)	83789		
Notes			
Specimen Requirements			
Specimen Required	<p>Collect 24 hours urine, refrigerate during collection. Mix well and send 10.0 mL urine (1.0 mL minimum) refrigerated in a screw-capped plastic urine container.</p> <p>Patient Preparation: High concentrations of gadolinium and iodine are known to interfere with most metals tests. If gadolinium - or iodine-containing contrast media has been administered, a specimen should not be collected for 96 hours.</p> <p>If this test is used in conjunction with the (131)I uptake test, then specimen collection should begin immediately after the dose of (131)I is given (ie, the patient should void and discard urine just prior to the (131)I, and all subsequent urine should be collected for the next 24 hours). The last void should be included in the collection.</p>		
Alternate Specimen	Urine preserved with 50% acetic acid		
Stability	Room temperature: 146 days; refrigerated: 146 days; Frozen: 146 days		
Performing Information			
Methodology	Inductively Coupled Plasma/Mass Spectrometry		
Reference Range	Iodine, 24 hour urine: 0-17 years: Not Established >=18 years: 75-851 mcg/24 hour		
Performed Days	Monday, Wednesday, Friday		
Turnaround Time	3-5 days		
Performing Laboratory	Mayo Medical Laboratories		
Interface Information			
Legacy Code¹	UIOD		
Interface Order Code	3800004		
Result Code	Name	LOINC Code	AOE/Prompt ²

3800005	Iodine, 24 Hour, Urine	2492-7	No
3800006	Collection Duration	13362-9	Yes
3800007	Urine Volume	3167-4	Yes

Inactivate Test With Replacement			
Effective Date	3/8/2019		
Inactivated Test			
Name	Iodine, Random, U		
Code	UIODR		
Legacy Code¹	URIODM		
Interface Order Code	3805320		
Notes			
Replacement Test			
Name	Iodine/Creatinine Ratio, Random, Urine		
Code	ICRUR		
CPT Code(s)	83789, 82570		
Notes			
Specimen Requirements			
Specimen Required	<p>Collect random urine. Send 3.0 mL urine aliquot (1.0 mL minimum) refrigerated in a screw-capped plastic vial.</p> <p>Patient Preparation: High concentrations of gadolinium and iodine are known to interfere with most metals tests. If either gadolinium- or iodine-containing contrast media has been administered, a specimen should not be collected for 96 hours.</p>		
Stability	Room temperature: 30 days; Refrigerated: 30 days; Frozen: 30 days		
Performing Information			
Methodology	Inductively Coupled Plasma-Mass Spectrometry (ICP-MS), Enzymatic Colorimetric Assay		
Reference Range	0-17 years: Not established >= 18 years: <584 mcg/g creatinine		
Performed Days	Monday-Friday		
Turnaround Time	3-5 days		
Performing Laboratory	Mayo Medical Laboratories		
Interface Information			
Legacy Code¹	ICRUR		
Interface Order Code	3800001		
Result Code	Name	LOINC Code	AOE/Prompt²
3800002	Iodine/Creatinine Ratio, Urine	55928-6	No
3800003	Creatinine Concentration	2161-8	No

Inactivate Test Without Replacement	
Effective Date	3/8/2019
Name	N. meningitidis Ag - Fluid
Code	FLNMN
Legacy Code	FLNMENI
Interface Code	3503219
Notes	<i>Suggested replacement test: MENGI – N. meningitides Antigens, Latex Agglutination.</i>