

Update Notes		

Update Summary		
New Test Activation	4/21/2020	PNTRP - "Peanut IgE with Reflex to Components"
Update Existing Test	4/13/2020	COEZQ - "Coenzyme Q10"
Update Existing Test	3/13/2020	G6PD - "G6PD"
Update Existing Test	3/13/2020	NSE - "Neuron Specific Enolase, Serum"
Update Existing Test	5/4/2020	TOXOC – "Toxocara Antibody (IgG), Serum"
Update Existing Test	3/17/2020	ZPP - "Zinc Protoporphyrin"
Update Existing Test	3/17/2020	ZPPI - "Lead-ZPP Industrial"
Inactivate Test With Replacement	4/6/2020	ASEP - "Aromatic Solvents Exposure Panel, Blood" replaced by AROME - "Aromatic Solvents Exposure Panel, Blood"
Inactivate Test With Replacement	4/21/2020	CSHRC - "Cashew Nut IgE with Reflex to Component Panel" replaced by CSHRP - "Cashew Nut IgE with Reflex to Component Panel"
Inactivate Test With Replacement	4/21/2020	HZNRC - "Hazelnut IgE with Reflex to Component Panel" replaced by HZLRP - "Hazelnut IgE with Reflex to Components"
Inactivate Test With Replacement	4/6/2020	INHAB - "Inhalants Panel, Blood" replaced by INPBL - "Comprehensive Volatiles Panel, Blood"
Inactivate Test With Replacement	4/21/2020	PNTP - "Peanut Component Panel" replaced by PNTCP - "Peanut IgE Component Panel"
Inactivate Test With Replacement	4/21/2020	WLNRC - "Walnut (f256) IgE with Reflex to Component Panel" replaced by WLNRP - "Walnut IgE with Reflex to Components"

New Test Activation			
Effective Date	4/21/2020		
Name	Peanut IgE with Reflex to Components		
Code	PNTRP		
CPT Code(s)	86003, plus 86008 x 6 if reflexed to components, at additional cost		
Notes			
Specimen Requirements			
Specimen Required	Draw blood in a SST. Centrifuge, remove serum from cells and send 1.5 mL serum (1.0 mL minimum) refrigerated in a screw-capped plastic vial.		
Alternate Specimen	Serum: Plain red-top		
Stability	Room temperature: Unacceptable; Refrigerated: 7 days; Frozen: 14 days		
Performing Information			
Methodology	Fluorescent Enzyme Immunoassay		
Reference Range	See report		
Performed Days	Monday-Friday		
Turnaround Time	1-3 days		
Performing Laboratory	Warde Medical Laboratory		
Interface Information			
Legacy Code¹	PNTRP		
Interface Order Code	3000137		
Result Code	Name	LOINC Code	AOE/Prompt ²
3000138	Peanut, IgE	6206-7	No
3000139	Peanut Class	15917-8	No
3000141	Ara h 1 (f422)	58779-0	No
3000142	Ara h 1 Class	81990-4	No
3000143	Ara h 2 (f423)	58778-2	No
3000144	Ara h 2 Class	81991-2	No
3000146	Ara h 3 (f424)	58777-4	No
3000147	Ara h 3 Class	81992-0	No
3000148	Ara h 6 (f447)	90880-6	No
3000149	Ara h 6 Class	87718-3	No
3000151	Ara h 8 (f352)	63477-4	No
3000152	Ara h 8 Class	81982-1	No
3000153	Ara h 9 (f427)	64965-7	No
3000154	Ara h 9 Class	81994-6	No
3069000	Allergy Interpretation		No

Update Existing Test	
Effective Date	4/13/2020
Name	Coenzyme Q10
Code	COEZQ
Interface Order Code	3711260
Legacy Code	COENZQSP
Notes	
Required Testing Changes	
Specimen Required	<p>Patient Preparation; Fasting is not required. Patients should not take Coenzyme Q10 supplements the morning of the test. They may take other nutritional supplements prior to testing.</p> <p>Draw blood in a SST. Centrifuge, separate and send 1.0 mL serum (0.3 mL minimum) refrigerated in an amber screw-capped plastic vial. PROTECT FROM LIGHT.</p>
Stability	Room temperature: Unacceptable; Refrigerated: 14 days; Frozen: 6 weeks
Methodology	Liquid Chromatography/Tandem Mass Spectrometry
Reference Range	<p>>0.35 ug/mL</p> <p>Optimal relative risk >0.35 High relative risk <0.36</p>
Performed Days	Monday-Friday
Turnaround Time	5-7 days

c	
Effective Date	3/13/2020
Name	G6PD
Code	G6PD
Interface Order Code	1004700
Legacy Code	G6PDQNT
Notes	
Required Testing Changes	
Reference Range	8.0-19.7 µg/g Hgb

Update Existing Test	
Effective Date	3/13/2020
Name	Neuron Specific Enolase, Serum
Code	NSE
Interface Order Code	3804220
Legacy Code	NSE
Notes	
Required Testing Changes	
Turnaround Time	3-5 days

Update Existing Test			
Effective Date	5/4/2020		
Name	Toxocara Antibodies		
Code	TOXOC		
Interface Order Code	3510620		
Legacy Code	TOXOCAB		
Notes	Please note the name of this test has changed.		
Required Testing Changes			
Name	Toxocara Antibody (IgG), Serum		
Result Code	Name	LOINC Code	AOE/Prompt ²
3510620	Toxocara Antibody (IgG), Serum	43225-2	No

Update Existing Test	
Effective Date	3/17/2020
Name	Zinc Protoporphyrin
Code	ZPP
Interface Order Code	1001550
Legacy Code	ZPP
Notes	
Required Testing Changes	
Specimen Required	Draw blood in a dark blue EDTA tube. Send 1.0 mL whole blood (0.5 mL minimum) refrigerated. PROTECT FROM LIGHT.

Update Existing Test	
Effective Date	3/17/2020
Name	Lead-ZPP Industrial
Code	ZPPI
Interface Order Code	1001560
Legacy Code	LAZPPIE
Notes	
Required Testing Changes	
Specimen Required	Draw blood in a dark blue EDTA tube. Send 7.0 mL whole blood (2.0 mL minimum) refrigerated. PROTECT FROM LIGHT. A completed lead requisition must accompany sample.

Inactivate Test With Replacement			
Effective Date	4/6/2020		
Inactivated Test			
Name	Aromatic Solvents Exposure Panel, Blood		
Code	ASEP		
Legacy Code¹	ASEP		
Interface Order Code	3300010		
Notes			
Replacement Test			
Name	Aromatic Solvents Exposure Panel,Blood		
Code	AROME		
CPT Code(s)	84600		
Notes			
Specimen Requirements			
Specimen Required	Draw blood in gray sodium fluoride tube. Send 2.0 mL whole blood (0.7 mL minimum) refrigerated in a screw-capped plastic vial.		
Alternate Specimen	Whole blood: Lavender EDTA		
Rejection Criteria	Samples received room temperature or frozen		
Stability	Room temperature: Unacceptable; Refrigerated: 7 days; Frozen: Unacceptable		
Performing Information			
Methodology	Headspace Gas Chromatography (GC)		
Reference Range	See report		
Performed Days	Varies		
Turnaround Time	5-7 days		
Performing Laboratory	NMS Labs		
Interface Information			
Legacy Code¹	AROME		
Interface Order Code	3300161		
Result Code	Name	LOINC Code	AOE/Prompt ²
3300162	Benzene	9330-2	No
3300163	Toluene	9637-0	No
3300164	o-Xylene	13650-7	No
3300165	p-Xylene	13651-5	No
3300166	m-Xylene	13644-0	No
3300167	Xylenes (o,m,p) - Total	13940-2	No
3300168	Ethylbenzene	8199-2	No
3300169	Styrene	8243-8	No

Inactivate Test With Replacement			
Effective Date	4/21/2020		
Inactivated Test			
Name	Cashew Nut IgE with Reflex to Component Panel		
Code	CSHRC		
Legacy Code¹	CSHRC		
Interface Order Code	3500002		
Notes			
Replacement Test			
Name	Cashew Nut IgE with Reflex to Component Panel		
Code	CSHRP		
CPT Code(s)	86003, plus 86008 if reflexed to component, at additional cost		
Notes			
Specimen Requirements			
Specimen Required	Draw blood in a SST. Centrifuge, remove serum from cells and send 1.0 mL serum (0.5 mL minimum) refrigerated in a screw-capped plastic vial.		
Alternate Specimen	Serum: Red-top		
Stability	Room temperature: Unacceptable; Refrigerated: 7 days; Frozen: 14 days		
Performing Information			
Methodology	Fluorescent Enzyme Immunoassay		
Reference Range	See report		
Performed Days	Monday-Friday		
Turnaround Time	1-3 days		
Performing Laboratory	Warde Medical Laboratory		
Interface Information			
Legacy Code¹	CSHRP		
Interface Order Code	3000102		
Result Code	Name	LOINC Code	AOE/Prompt²
3000103	Cashew Nut, IgE	6718-1	No
3000104	Cashew Nut Class	15607-5	No
3000105	Ana o 3 (f443)	82539-8	No
3000106	Ana o 3 Class	82540-6	No
3069000	Allergy Interpretation		No

Inactivate Test With Replacement			
Effective Date	4/21/2020		
Inactivated Test			
Name	Hazelnut IgE with Reflex to Component Panel		
Code	HZNRC		
Legacy Code¹	HZNRC		
Interface Order Code	3500003		
Notes			
Replacement Test			
Name	Hazelnut IgE with Reflex to Components		
Code	HZLRP		
CPT Code(s)	86003, plus 86008 x 4 if reflexed to components, at additional cost		
Notes			
Specimen Requirements			
Specimen Required	Draw blood in a SST. Centrifuge, remove serum from cels, and send 1.0 mL serum (0.5 mL minimum) refrigerated in a screw-capped plastic vial.		
Alternate Specimen	Serum: Red-top		
Stability	Room temperature: Unacceptable; Refrigerated: 7 days; Frozen: 14 days		
Performing Information			
Methodology	Fluorescent Enzyme Immunoassay		
Reference Range	See report		
Performed Days	Monday-Friday		
Turnaround Time	1-3 days		
Performing Laboratory	Warde Medical Laboratory		
Interface Information			
Legacy Code¹	HZLRP		
Interface Order Code	3000121		
Result Code	Name	LOINC Code	AOE/Prompt ²
3000122	Hazel Nut, IgE	6136-6	No
3000123	Hazel Nut Class	15766-9	No
3000124	Cor a 1 (f428)	69421-6	No
3000125	Cor a 1 Class	81995-3	No
3000126	Cor a 8 (f425)	58753-5	No
3000127	Cor a 8 Class	81993-8	No
3000128	Cor a 9 (f440)	65765-0	No
3000129	Cor a 9 Class	82002-7	No
3000132	Cor a 14 (f439)	81788-2	No
3000133	Cor a 14 Class	82569-5	No

3069000	Allergy Interpretation		No
---------	------------------------	--	----

Inactivate Test With Replacement			
Effective Date	4/6/2020		
Inactivated Test			
Name	Inhalants Panel, Blood		
Code	INHAB		
Legacy Code¹	INHAP		
Interface Order Code	3301245		
Notes			
Replacement Test			
Name	Comprehensive Volatiles Panel, Blood		
Code	INPBL		
CPT Code(s)	84600 x 3, 82441		
Notes			
Specimen Requirements			
Specimen Required	Draw blood in 2 lavender EDTA tubes. Send 7.0 mL whole blood (3.3 mL minimum) refrigerated in a screw-capped plastic vial.		
Alternate Specimen	Whole blood: Sodium fluoride/Potassium Oxalate (Gray)		
Stability	Room temperature: Undetermined; Refrigerated: Undetermined; Frozen: Undetermined		
Performing Information			
Methodology	Gas Chromatography, Gas Chromatography/Mass Spectromery, Headspace Gas Chromatography		
Reference Range	See report		
Performed Days	Monday-Thursday		
Turnaround Time	6-10 days		
Performing Laboratory	NMS Labs		
Interface Information			
Legacy Code¹	INPBL		
Interface Order Code	3300171		
Result Code	Name	LOINC Code	AOE/Prompt ²
3300172	Volatiles	74133-0	No
3300173	Methane	14166-3	No
3300174	Ethane	13007-0	No
3300175	Propane	13022-9	No
3300176	Isobutane	12992-4	No
3300177	n-Butane	9497-9	No
3300178	Halocarbons	9333-6	No
3300179	1,1-Difluoroethane	19146-0	No
3300181	1,1,1,2-Tetrafluoroethane	19146-0	No

Inactivate Test With Replacement			
Effective Date	4/21/2020		
Inactivated Test			
Name	Peanut Component Panel		
Code	PNTP		
Legacy Code¹	PNTP		
Interface Order Code	3433940		
Notes			
Replacement Test			
Name	Peanut IgE Component Panel		
Code	PNTCP		
CPT Code(s)	86008 x 6		
Notes			
Specimen Requirements			
Specimen Required	Draw blood in a SST. Centrifuge, remove serum from cells and send 1.0 mL serum (0.5 mL minimum) refrigerated in a screw-capped plastic vial.		
Alternate Specimen	Serum: Red-top		
Stability	Room temperature: Unacceptable; Refrigerated; 7 days; Frozen: 14 days		
Performing Information			
Methodology	Fluorescent Enzyme Immunoassay		
Reference Range	Ara h 2 (f423) <0.10 kU/L Ara h 1 (f422) <0.10 kU/L Ara h 3 (f424) <0.10 kU/L Ara h 9 (f427) <0.10 kU/L Ara h 8 (f352) <0.10 kU/L		
Performed Days	Monday-Friday		
Turnaround Time	1-3 days		
Performing Laboratory	Warde Medical Laboratory		
Interface Information			
Legacy Code¹	PNTCP		
Interface Order Code	3000134		
Result Code	Name	LOINC Code	AOE/Prompt²
3000141	Ara h 1 (f422)	58779-0	No
3000142	Ara h 1 Class	81990-4	No
3000143	Ara h 2 (f423)	58778-2	No
3000144	Ara h 2 Class	81991-2	No
3000146	Ara h 3 (f424)	58777-4	No
3000147	Ara h 3 Class	81992-0	No
3000148	Ara h 6 (f447)	90880-6	No

3000149	Ara h 6 Class	87718-3	No
3000151	Ara h 8 (f352)	63477-4	No
3000152	Ara h 8 Class	81982-1	No
3000153	Ara h 9 (f427)	64965-7	No
3000154	Ara h 9 Class	81994-6	No
3069000	Allergy Interpretation		No

Inactivate Test With Replacement			
Effective Date	4/21/2020		
Inactivated Test			
Name	Walnut (f256) IgE with Reflex to Component Panel		
Code	WLNRC		
Legacy Code¹	WLNRC		
Interface Order Code	3700008		
Notes			
Replacement Test			
Name	Walnut IgE with Reflex to Components		
Code	WLNRP		
CPT Code(s)	86003, plus 86008 x 2 if reflexed to components, at additional cost		
Notes			
Specimen Requirements			
Specimen Required	Draw blood in a SST. Centrifuge, remove serum from cells, and send 1.0 mL serum (0.5 mL minimum) refrigerated in a screw-capped plastic vial.		
Alternate Specimen	Serum: Red-top		
Stability	Room temperature: Unacceptable; Refrigerated: 7 days; Frozen: 14 days		
Performing Information			
Methodology	Fluorescent Enzyme Immunoassay		
Reference Range	See report		
Performed Days	Monday-Friday		
Turnaround Time	1-3 days		
Performing Laboratory	Warde Medical Laboratory		
Interface Information			
Legacy Code¹	WLNRP		
Interface Order Code	3000112		
Result Code	Name	LOINC Code	AOE/Prompt ²
3000113	Walnut, IgE	6273-7	No
3000114	Walnut Class	16074-7	No
3000116	Jug r 1 (f441)	81790-8	No
3000117	Jug r 1 Class	82546-3	No
3000118	Jug r 3 (f442)	81789-0	No
3000119	Jug r 3 Class	82545-5	No
3069000	Allergy Interpretation		No