



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

## EXAMPLE, REPORT

WX0000003039 M 12/05/1988 31 Y

### Referral Testing

Collected: 04/22/2020 17:22

Received: 04/22/2020 17:22

Test Name	Result	Flag	Ref-Ranges	Units	Site
<b>Hepatitis E Virus by Quantitative PCR</b>					
Hepatitis E Quant by PCR, Source	Plasma				ARRL
Hepatitis E Quant by PCR, IU/mL	<1,800			IU/mL	ARRL
Hepatitis E Quant by PCR, Log IU/mL	< 3.3			log IU/mL	ARRL
Hepatitis E Quant by PCR, Interp	Not Detected		Not Detected		ARRL

INTERPRETIVE INFORMATION: Hepatitis E Virus by Quantitative PCR

The quantitative range of this assay is 3.3- 8.3 log IU/mL (1,800- 180,000,000 IU/mL). One IU/mL of HEV RNA is approximately 2.25 copies/mL.

A negative result (less than 3.3 log IU/mL or less than 1,800 IU/mL) does not rule out the presence of PCR inhibitors in the patient specimen or HEV RNA concentrations below the level of detection of the test. Inhibition may also lead to underestimation of viral quantitation.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS  
Performed By: ARUP Laboratories  
500 Chipeta Way  
Salt Lake City, UT 84108  
Laboratory Director: Julio C. Delgado, MD, MS

Performing Site:

ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

B22200006  
WX0000003039  
Printed D&T: 04/22/20 17:31

Ordered By: CLIENT CLIENT  
WX00000000001595

William G. Finn, M.D. - Medical Director  
Form: MM RL1  
PAGE 1 OF 1