



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003826 F 12/05/1988 34 Y

## Referral Testing

Collected: 09/29/2023 14:46 Received: 09/29/2023 14:46

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Fluphenazine (Prolixin)	2.6		1.0-10.0	ng/mL	ARRL

INTERPRETIVE INFORMATION: Fluphenazine

Therapeutic Range: 1.0-10.0 ng/mL  
Toxic: Greater than 15.0 ng/mL

The therapeutic range is based on serum pre-dose (trough) draw at steady-state concentration. Adverse effects may include extrapyramidal symptoms, seizures and neuroleptic malignant syndrome.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Performed By: ARUP Laboratories  
500 Chipeta Way  
Salt Lake City, UT 84108  
Laboratory Director: Jonathan R. Genzen, MD, PhD  
CLIA Number: 46D0523979

Performing Site:

ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

**Reported Date:** 2023.09.29 14:46

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F329000037 Ordered By: KAJAL SITWALA, MD, PhD  
WX0000003826 WX00000000002353  
Printed D&T: 09/29/23 14:47

Kajal V. Sitwala, MD, PhD - Medical Director  
Form: MM RL1  
PAGE 1 OF 1