



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003827 M 07/08/1978 45 Y

## Referral Testing

Collected: 09/13/2023 11:30 Received: 09/13/2023 11:30

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
<b>Mycoplasma pneumoniae by PCR</b>	<b>Detected</b>	<b>AB</b>			ARRL

### Mycoplasma pneumoniae by PCR

INTERPRETIVE INFORMATION: Mycoplasma pneumoniae by PCR

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Performed by ARUP Laboratories,  
500 Chipeta Way, SLC, UT 84108 800-522-2787  
www.aruplab.com, Jonathan R. Genzen, MD, PHD - Lab. Director

Mycoplasma pneumoniae Source Sputum ARRL

Performing Site:

ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

**Reported Date:** 2023.09.22 11:30 MYCP

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F313000015  
WX0000003827

Ordered By: KAJAL SITWALA, MD, PhD  
WX00000000002365

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

Printed D&T: 09/22/23 11:02

PAGE 1 OF 1