



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/06/2023 14:48 Received: 09/06/2023 14:48

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: T Cell Rec Gamma Gene Rear PCR, N/A, BLOOD, NEGATIVE, NEGATIVE, QCRL.

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042 I Maramica MD, PhD, MBA

Pathologist Interpretation SEE NOTE QCRL

This specimen was negative for the detection of clonal T-cell rearrangement by PCR followed by capillary electrophoresis. The primers used target the variable region and the joining regions of the T-cell receptor-gamma (TCR-gamma) genes. The negative result should be interpreted in the context of the patient's other clinical and pathologic features and should not be used as the sole criterion for excluding a diagnosis of malignancy. Up to 10% of T-cell neoplasms can yield a negative result by this assay. The sensitivity of this assay depends on the number of background T cells in the sample, varying from 1-10% clonal T cells in a polyclonal T-cell background. The reference range for TCR-gamma gene rearrangements in non-neoplastic tissues is negative. If you are a physician and have questions about the interpretation of this result or correlating it with the morphology of the tissue, please call (800) 642-4657, ext. 2906. Results reviewed by Z. Zhang, M.D.

For additional information, please refer to
(This link is being provided for informational/educational purposes only.)

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042 I Maramica MD, PhD, MBA

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675 Performing Site:

Reported Date: 2023.09.06 14:48 TCRGQ

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F306000033
WX0000003827

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002365

Printed D&T: 09/06/23 14:49

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 2 OF 2