



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 07/19/2023 11:42 Received: 07/19/2023 11:42

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Aerobic Organism ID	See Below				WMAR

Test Requested
Aerobic Organism Identification

Source: Blood
Body Site: Blood
Free Text Sources: Blood

Final Report

Staphylococcus warneri
and
Staphylococcus pasteurii
Identification by MALDI-TOF
This test was developed and its performance characteristics
determined by ARUP Laboratories. It has not been cleared or
approved by the U.S. Food and Drug Administration.
This test was performed in a CLIA-certified laboratory and
is intended for clinical purposes.
Mixed culture received.
An additional charge for handling/isolation has been issued.

Performed by ARUP Laboratories
500 Chipeta Way, Salt Lake City, UT 84108
Jonathan R. Genzen, MD, PhD, Laboratory Director

Performing Site:
WMAR: ARUP LABORATORIES 500 Chipeta Way Salt Lake City UT 841081221

Reported Date: 2023.07.19 11:43

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F119000018 Ordered By: KAJAL SITWALA, MD, PhD
WX0000003826 WX000000000002353
Printed D&T: 07/19/23 11:44

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1