



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003827 M 07/08/1978 45 Y

## Referral Testing

Collected: 08/25/2023 12:07 Received: 08/25/2023 12:07

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Benzene, Blood	None Detected			mcg/mL	NMRL

Reporting Limit: 0.050 mcg/mL  
Following exposure to 25 ppm in air for 2 hours:  
Approximately 0.2 mcg/mL.  
Analysis by Headspace Gas Chromatography (GC)  
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

Testing performed at NMS Labs, Inc.  
200 Welsh Road  
Horsham, PA 19044-2208  
CLIA 39D0197898

**Reported Date:** 2023.08.25 12:07

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F225000012 Ordered By: KAJAL SITWALA, MD, PhD  
WX0000003827 WX000000000002365  
Printed D&T: 08/25/23 12:07

Kajal V. Sitwala, MD, PhD - Medical Director  
Form: MM RL1  
PAGE 1 OF 1